Journal of the Torrey Botanical Society 129(4), 2002, pp. 391–393

INDEX TO VOLUME 129, 2002

A gradient analysis of oak savanna community composition in western Wisconsin, 115
ABRAMS, MARC D., dendrochronology of disturbance history of a native American site, 251
alien plant, occurrence in utility corridors and riparian forests, 125
ALIX, MITCHELL S., first reports of *Ceratophyllum echinatum* A. Gray from Indiana, 164
Allegheny Hight Plateau, herbaceous layer contrast and alien plant occurrence in utility corridors and riparian forests, 125
allozyme, macrogeographic variation in *Passiflora incarnata*, 326
Amaranthaceae, *Amaranthus cannabinus*, 298; *Froelichia floridana*, 311
Amaranthus cannabinus, inbreeding effects
AMPORPAN, LA-AW, floral ontogeny of *Salpiglossis* (Solanaceae, 85
ANDERSON, KIMBERLY L., canopy gaps and plant diversity in a forested wetland, 238
Appalachian, oak forest understory response to disturbance, 136
Arabis laevigata variety *laevigata*, seed dispersal, 21
ARMSTRONG, JOSEPH E. floral ontogeny of *Salpiglossis* (Solanaceae), 85

BALLARD, HARVEY E., JR., affinities of *Froelichia floridana* populations, 311
bark, anatomy in Salvadoraceae, 10
BASKIN, CAROL C., intraspecific competition, mass seeding, and senescence in *Polymnia canadensis*, 107; seed dispersal in *Arabis laevigata* variety *laevigata*, 21
BASKIN, JERRY M., intraspecific competition, mass seeding, and senescence in *Polymnia canadensis*, 107; seed dispersal in *Arabis laevigata* variety *laevigata*, 21
BENDER, MARTIN H., intraspecific competition, mass seeding, and senescence in *Polymnia canadensis*, 107
BENEDICT, JENNIFER, life history of *Microstegium vimineum*, 207
BLOOM, THOMAS C., seed dispersal in *Arabis laevigata* variety *laevigata*, 21
BOYD, ROBERT S., pollen and leaf epidermal micromorphology of the *Trillium pusillum* Michaux complex, 175
BRAGG, DON C., old-growth pine forests, 261
BRAM, MARGOT R., inbreeding effects in *Amaranthus cannabinus*, 298
Brassicaceae, seed dispersal in *Arabis laevigata* variety *laevigata*, 21

Cabombaceae, root cortex, 1
CADENASSO, M. L., mammalian herbivore effects on old field succession, 228
canopy gaps, plant diversity in a forested wetland, 238
CARLQUIST, SHERWIN, wood and bark anatomy of Salvadoraceae, 10
Ceratophyllum echinatum A. Gray, first reports from Indiana, 164
CICCARELLO, STEPHANIE C., microclimate and vegetation patterns in frost pockets, 154
Coastal Plain, old-growth pine forests, 261
COLLINS, BEVERLY S., vegetation of Fort Benning upland forests, 289
competition, in mass seeding and senescence in *Polymnia canadensis*, 107
Cornus florida L. mortality and understory composition changes in western Great Smoky Mountains National Park, 194
corridors, herbaceous layer contrast and alien plant occurrence in utility corridors, 125

Dendrochronological investigation of disturbance history for a native American site in northwestern Pennsylvania, 251
dendrochronology, of a native American site, 251
Dilustro, John J., vegetation of Fort Benning upland forests, 289
disturbance, understory response to in an oak forest, 136
DUNCAN, LISA K., vegetation of Fort Benning upland forests, 289
DUTE, ROLAND R., pollen and leaf epidermal micromorphology of the *Trillium pusillum* Michaux complex, 175

Ecological life history of the facultative woodland biennial *Arabis laevigata* variety *laevigata* (Brassicaceae): Seed dispersal, 21
Effects of inbreeding in three populations of the dioecious annual *Amaranthus cannabinus* (Amaranthaceae), 298
ELLIOTT, KATHERINE J., vegetation response to large scale disturbance in a southern Appalachian forest, 48
exotic species, spread into a northeastern landscape, 220
Experimental test of the role of mammalian herbivores on old field succession: Community structure and seedling survival, 228

FAIVRE, AMY E., genetic variation among *Valeriana ciliata* populations, 39
First reports of *Ceratophyllum echinatum* A. Gray from Indiana with notes on the distribution, ecology and phytosociology of the species, 164
flora, of Hoffman and Swinburne Islands, New York, 77; of the Hempstead Harbor Shoreline Trail Natural Area, 359
Floral ontogeny of *Salpiglossis* (Solanaceae) and the oblique gynoecium, 85
flowering phenology, of two grasses, 96
Forelichia floridana, ISSR markers and population affinities, 311
FORÉ, STEPHANIE A., macrogeographic allozyme variation in *Passiflora incarnata*, 326 SPIRA, TIMOTHY P., macrogeographic allozyme variation in *Passiflora incarnata*, 326
Fort Benning, vegetation of upland forests, 289
FOSTER, DAVID R., microclimate and vegetation patterns in frost pockets, 154
French Guiana, flowering plants of, 331
Frost pockets on a level sand plain: Does variation in

microclimate help maintain persistent vegetation patterns?, 154

Genetic variability and phenotypic plasticity in flowering phenology in populations of two grasses, 96
Genetic variation among populations of *Valeriana ciliata* T.& G. (prairie valerian) in midwestern prairie fens, 39
GIBSON, DAVID J., life history of *Microstegium vimineum*, 207
gradient analysis, of oak savanna composition, 115
gynoecium, *Salpiglossis* floral ontogeny, 85

HECKLAU, EDMUND F., flowering plants of central French Guiana, 331
Hempstead Harbor Shoreline Trail Natural Area, flora of, 359
Herbaceous layer contrast and alien plant occurrence in utility corridors and riparian forests of the Allegheny High Plateau, 125
herbivore, effects on old field succession, 228
HITCHCOCK, STEPHANIE L., vegetation response to large scale disturbance in a southern Appalachian forest, 48
HOWARD, LAUREN F., old-field succession in New Hampshire, 60
HUNTER, JOHN C., exotic species in a northeastern landscape, 220
hurricane, vegetation response to Hurricane Opal and salvage logging, 48

inbreeding, in *Amaranthus cannabinus*, 298
Indiana, first reports of *Ceratophyllum echinatum* A. Gray, 164
Inferring nativity and biogeographic affinities of central and marginal populations of *Froelichia floridana* (Amaranthaceae) from Inter-Simple Sequence Repeat (ISSR) markers, 311

Jamaica Bay Wildlife Refuge, flora of, 346
JENKINS, MICHAEL A., *Cornus florida* mortality and understory change, 194

KIRCHGESSNER, TONY, flowering plants of central French Guiana, 331
KRUEGER, LISA, vegetation response to large scale disturbance in a southern Appalachian forest, 48

LAMONT, ERIC E., flora of Jamaica Bay Wildlife Refuge, 346; noteworthy plants reported from the Torrey Range—2001, 363
land-use, and vegetation of upland forests, 289
leaf, epidermal micromorphology in the *Trillium pusillum* complex, 175
LEE, THOMAS D., old-field succession in New Hampshire, 60
LEOPOLD, DONALD J., canopy gaps and plant diversity in a forested wetland, 238
Life history of *Microstegium vimineum* (Poaceae), an invasive exotic in southern Illinois, 207
Life form, habitat, and nutritional mode of the flowering plants of central French Guiana, 331
Lobelia spicata, pollination biology, 187
logging, vegetation response to Hurricane Opal and salvage logging, 48
Long Island, flora of Jamaica Bay Wildlife Refuge, 346; flora of the Hempstead Harbor Shoreline Trail Natural Area, 359

Macrogeographic allozyme variation in *Passiflora incarnata*, 326
MATTICE, JENNIFER, exotic species in a northeastern landscape, 220
MCCARTHY, BRIAN C., understory response to disturbance in an oak forest, 136
MCCAULEY, ROSS A., affinities of *Froelichia floridana* populations, 311
MEISEL, JENNIFER, gradient analysis of oak savanna community composition, 115
microclimate, and vegetation patterns in frost pockets on a sand plain, 154
Microstegium vimineum, life history, 207
MOLANO-FLORES, BRENDA, pollination biology of *Lobelia spicata*, 187
MORGAN, ERIC C., flora of the Hempstead Harbor Shoreline Trail Natural Area, 359
MORI, SCOTT A., flowering plants of central French Guiana, 331
MORIARITY, WILLIAM J., herbaceous layer contrast and alien plant occurrence in utility corridors and riparian forests, 125
MORIN, P. J., mammalian herbivore effects on old field succession, 228
MOTZKIN, GLENN, microclimate and vegetation patterns in frost pockets, 154
Munir, Affaf, vascular flora of Hoffman and Swinburne Islands, New York, 77

Nelumbonaceae, root cortex, 1
New Hampshire, old-field succession, 60
New York, flora of Hoffman and Swinburne Islands, 77; flora of Jamaica Bay Wildlife Refuge, 346; flora of the Hempstead Harbor Shoreline Trail Natural Area, 359
New York State, canopy gaps and plant diversity in a forested wetland, 238
Noteworthy plants reported from the Torrey Range—2001, 363
Nymphaeaceae, root cortex, 1

oak savanna, community composition, 115
oak forest, understory response to disturbance, 136
old-field succession, in southeastern New Hampshire, 60; mammalian herbivore effects on, 228
old-growth, pine forests, 261

Passiflora incarnata, macrogeographic allozyme variation, 326
Pennsylvania, dendrochronology of disturbance history of a native American site, 251
phenotypic plasticity in flowering phenology of two grasses, 96
phloem, histology of interxylary phloem in Salvadoraceae, 10
PICKETT, S. T. A., mammalian herbivore effects on old field succession, 228
pine forests, old-growth, 261
Poaceae, *Microstegium vimineum*, life history, 207
Pollen and leaf epidermal micromorphology of the *Trillium pusillum* Michaux complex, 175
Pollination biology and flower visitors of the gynodioecious species *Lobelia spicata* Lam. (Campanulaceae), 187

Polymnia canadensis, intraspecific competition, mass seeding, and senescence, 107
prairie fens, genetic variation among *Valeriana ciliata* populations, 39

QUINN, JAMES A., genetic variability and phenotypic plasticity in flowering phenology in populations of two grasses, 96

Reference conditions for old-growth pine forests in the Upper West Gulf Coastal Plain, 261
riparian forests, herbaceous layer contrast and alien plant occurrence, 125
Role of intraspecific competition in mass seeding and senescence in *Polymnia canadensis*, a primarily monocarpic species, 107
root cortex, of Nymphaeaceae, Cabombaceae, and Nelumbonaceae, 1
RUBINO, DARRRIN L., herbaceous layer contrast and alien plant occurrence in utility corridors and riparian forests, 125
RUFFNER, CHARLES M., dendrochronology of disturbance history of a native American site, 251

Salpiglossis (Solanaceae), 85
Salvadoraceae, wood and bark anatomy, 10
sand plain, microclimate and vegetation patterns in frost pockets, 154
SCRIBAILO, ROBIN W., first reports of *Ceratophyllum echinatum* A. Gray from Indiana, 164
SEAGO, JAMES L., JR., Nymphaeaceae, Cabombaceae, and Nelumbonaceae root cortex, 1
seed dispersal, in *Arabis laevigata* variety *laevigata*, 21
seeding, in *Polymnia canadensis*, 107
seedlings, survival in old field succession, 228
senescence, in *Polymnia canadensis*, 107
SHARITZ, REBECCA R., vegetation of Fort Benning upland forests, 289
SMALL, CHRISTINE J., understory response to disturbance in an oak forest, 136
Soil texture, land-use intensity, and vegetation of Fort Benning upland forest sites, 289
Solanaceae, *Salpiglossis* floral ontogeny, 85
Spatial and temporal variation in the response of understory vegetation to disturbance in a central Appalachian oak forest, 136
SPYREAS, GREG, life history of *Microstegium vimineum*, 207
STALTER, RICHARD, vascular flora of Hoffman and Swinburne Islands, New York, 77; flora of Jamaica Bay Wildlife Refuge, 346

The root cortex of the Nymphaeaceae, Cabombaceae, and Nelumbonaceae, 1
The vascular flora of Hoffman and Swinburne Islands, New York Harbor, New York, 77
The *Trillium pusillum* Michaux complex (Trilliaceae): Analysis of pollen and leaf epidermal micromorphology, 175
The spread of woody exotics into the forests of a northeastern landscape, 1938–1999, 220
The role of canopy gaps in maintaining vascular plant diversity at a forested wetland in New York State, 238
The vascular flora of the Hempstead Harbor Shoreline Trail Natural Area, Long Island, New York, 359
TIMMERMAN-ERSKINE, MARGARET, pollen and leaf epidermal micromorphology of the *Trillium pusillum*, pollen and leaf epidermal micromorphology, 175
TRUSHENSKI, NICOLE, gradient analysis of oak savanna community composition, 115

understory, oak forest understory response to disturbance, 136
Upland old-field succession in southeastern New Hampshire, 60

Valeriana ciliata T.& G. (prairie valerian), genetic variation among populations, 39
Vascular flora of Jamaica Bay Wildlife Refuge, Long Island, New York, 346
Vegetation response to large scale disturbance in a southern Appalachian forest: Hurricane Opal and salvage logging

WEIHER, EVAN, gradient analysis of oak savanna community composition, 115
WETHERINGTON, JEFFREY D., Genetic variability and phenotypic plasticity in flowering phenology in populations of two grasses, 96
wetland, canopy gaps and plant diversity in a forested wetland, 238
WHITE, PETER S., *Cornus florida* mortality and understory change, 194
WILLIAMS, CHARLES E., herbaceous layer contrast and alien plant occurrence in utility corridors and riparian forests, 125
WINDUS, JENNIFER L., genetic variation among *Valeriana ciliata* populations, 39
Wisconsin, oak savanna composition, 115
Wood and bark anatomy of Salvadoraceae: Ecology, relationships, histology of interxylary phloem, 10

YOUNG, STEPHEN M., noteworthy plants reported from the Torrey Range—2001, 363